## In the Claims:

- 1. (Original) A fracturing fluid comprising a polar base, 0.1-5.0% of a mid-molecular weight polyacrylate, and an activator for ionizing said polyacrylate to a hygroscopic state.
- 2. (Currently Amended) A fracturing fluid comprising a polar base, 0.1-5.0% of a mid-molecular weight polyacrylate, and an activator for ionizing said polyacrylate to a hygroscopic state A fluid as claimed in claim 1, wherein said polyacrylate is a polyacrylic acid polymer cross linked with polyalkenyl ethers or di-vinyl glycol.
- 3.(Original) A fluid as claimed in claim 2, wherein said polyacrylate is present in particles of about 0.2 micron diameter.
- 4.(Original) A fluid as claimed in claim 3, wherein said fluid is provided with 0.1-5.0% (wt) of an activator to initiate hydration of said polyacrylate.
- 5.(Original) A fluid as claimed in claim 4, wherein said activator is selected from triethanolamine, NaOH, KOH and  $\mathrm{NH_4OH}$ .
- 6. (Currently Amended) A fluid as claimed in  $\frac{1}{1}$  any one of claims 1 to 5, further including a breaker in an amount of 0.1-1.0% wt.
- 7. (Currently Amended) A fracturing fluid comprising a polar base, 0.1-5.0% of a mid-molecular weight polyacrylate, an activator for ionizing said polyacrylate to a hygroscopic state, and
- $\underline{\text{a breaker}}$  A fluid as claimed in claim 6, wherein said breaker is encapsulated.
  - 8. (Currently Amended) A fluid as claimed in claim 6 or

- 7, wherein said breaker is an organic or inorganic salt.
- 9. (Previously Amended) A fluid as claimed in claim 6, wherein said breaker is NaCl or Kcl.
- 10.(Currently Amended) A fluid as claimed in claim 1 any of claims 1 to 9, wherein said polar base is selected from the groups including water, methanol, ethanol, propanol and isopropanol.
- 11. (Currently Amended) A fluid as claimed in claim 1 any of claims 1 to 10, emulsified with liquid  ${\rm CO_2}$  or  ${\rm N_2}$  and a surfactant.
- 12.(Original) A fluid as claimed in claim 11, emulsified with liquid CO2 in an amount of 50-52% to 94-95% (volume).
- 13. (Currently Amended) A fluid as claimed in claim  $\underline{11}$   $\underline{12}$ , wherein said surfactant is an ethoxylated alkylphenol.
- 14. (Currently Amended) A fluid as claimed in claim  $\underline{11}$   $\theta$ , containing  $\underline{up}$  to [[0-]]50%  $N_2$  or  $CO_2$ .
- 15. (New) A fracturing fluid consisting essentially of a polar base, 0.1-5.0% of a mid-molecular weight polyacrylate, and an activator for ionizing said polyacrylate to a hygroscopic state.
- 16.(New) A fluid as claimed in claim 15, further including a breaker in an amount of 0.1-1.0% wt.
- 17. (New) A fluid as claimed in claim 16, wherein said breaker is an organic or inorganic salt.
- 18. (New) A fluid as claimed in claim 16, wherein said breaker is NaCl or Kcl.

- 19. (New) A fluid as claimed in claim 16, wherein said polar base is selected from the groups including water, methanol, ethanol, propanol and isopropanol.
- 20.(New) A fluid as claimed in claim 16, emulsified with liquid  $\text{CO}_2$  or  $\text{N}_2$  and a surfactant.